

Serial No. : 09/580,993  
Applicant : HONEA  
Amendment Dated: 1/17/02

CLEAN VERSION OF CLAIMS WITH AMENDMENTS OF 1/17/02

What is claimed as being new and desired to be protected by  
LETTERS PATENT of the United States is as follows:

1. A new and improved tape measure system adapted to be cut on site for a particular construction application with both continuing and repeating indicia and a strengthening component along the length thereof comprising, in combination:

*A*  
a tape of a disposable material with limited extensibility selected from the class of disposable materials with limited extensibility including paper, *B* cloth, and plastic, such as Mylar, polyvinyl chloride (PVC), and polyethylene (PE), the tape having a short leading edge and a parallel short trailing edge and having long parallel side edges, including a first side edge and a second side edge, there between, the tape having an extended length of about 200 feet and a width of about 3 inches, the tape adapted to be spooled upon itself when in a stored orientation and extended linearly by the pulling of the leading edge when in an operative orientation, the tape having a front face and a rear face with a thickness of about 1 mil;

indicia formed on the front face and including continuing first indicia along the entire length thereof midway of, and spaced from, the side edges formed of heavy marking lines equally

Serial No. : 09/580,993  
Applicant : HONEA  
Amendment Dated: 1/17/02

*Al*  
*ant.*  
spaced at a first distance and foot numerals indicative of measured feet every 12 inches and light marking lines indicative of measured inches each inch between the heavy marking lines, the indicia also including continuing repeating second indicia lines along the first side edge laterally spaced from the first indicia with the repeating second indicia lines being equally spaced at a second distance different from the first distance, the indicia also including continuing repeating third indicia lines along the second side edge laterally spaced from the first indicia with the third indicia lines being equally spaced at a third distance different from the first distance and second distance; and

*B*  
a strengthening component formed of a continuous thread with a diameter of about 1 mil, the thread being fabricated of an essentially inextensible material of the class of essentially inextensible materials including cotton and a monofilament nylon, the thread being secured to the front face of the tape along the entire extent thereof whereby the leading edge may be attached to an area being measured and extended in linear fashion to a second location where it is attached again and then cut from the remainder of the tape in the spool.

Serial No. : 09/580,993  
Applicant : HONEA  
Amendment Dated: 1/17/02

---

2. A tape measure system comprising:

*Sub B*  
*app.*  
a tape of a disposable material with limited extensibility, the tape having a short leading edge and a parallel short trailing edge and having long parallel side edges there between including a first side edge and a second side edge, the tape having a front face and a rear face;

indicia formed on the front face and including continuing first indicia lines equally spaced at a first distance along the entire central length of the tape, the indicia also including continuing repeating second indicia lines along the first side edge laterally spaced from the first indicia lines with the second indicia lines being equally spaced at a second distance different from the first distance, the indicia also including continuing repeating third indicia lines along the second side edge laterally spaced from the first indicia lines with the third indicia lines being equally spaced at a third distance different from the first distance and second distance; and

a strengthening component formed continuously along the length of the tape and fabricated of an essentially inextensible material.

---

Serial No. : 09/580,993  
Applicant : HONEA  
Amendment Dated: 1/17/02

3. The system as set forth in Claim 2 wherein the repeating indicia are spaced 9 inches along one edge and 10 inches along the other edge.

4. The system as set forth in Claim 2 wherein the repeating indicia are spaced at 5 inches along one edge and 5-5/8 inches along the other edge.

5. The system as set forth in Claim 2 wherein the indicia is on both faces of the tape.

6. The system as set forth in Claim 2 wherein the strengthening component is a thread formed into one face of the tape.

7. The system as set forth in Claim 2 wherein the strengthening component is a thread with a tape securing the thread to one surface of the tape.

8. The system as set forth in Claim 2 wherein the thread is formed interiorly of the tape.

9. The system as set forth in Claim 2 wherein the strengthening component is a thickened region formed in the faces of the tape.

10. The system as set forth in Claim 2 wherein the strengthening component is a single component extending

Serial No. : 09/580,993  
Applicant : HONEA  
Amendment Dated: 1/17/02

longitudinally along the center of the tape parallel with the  
side edges.